



		TSW 系列						典雅系列				
		886	1086	870	1270	895	1095	C80	C100	C81	C101	E100
銷售度				營建 熱銷		民宅 熱銷						
窗框 寬度	8cm	●		●		●		●		●		
	10cm		●		●		●		●		●	●
氣密度	通氣量在 2/h m ³ 以下	●	●	●	●	●	●	●	●	●	●	●
水密度	脈動壓 50kgf/m ² 中央值以上	●	●	●	●	●	●	●	●	●	●	●
強度性	抗風壓 240kgf/m ² ~360kgf/m ²	●	●	●	●	●	●	●	●	●	●	●
隔音性	STC-30 等級	●	●	●	●	●	●	●	●	●	●	●
	STC-35 等級(附連動把手)			●	●	●	●	●	●	●	●	●
外觀	方直	●	●	●	●							
	典雅柱							●	●	●	●	●
	流線造型					●	●					
適用性	民宅工程	●	●			●	●	●	●	●	●	●
	營建工程			●	●							
配色	純白	●	●	●	●	●	●	●	●	●	●	●
	牙白	●	●	●	●	●	●	●	●	●	●	●
	香檳	●	●	●	●	●	●	●	●	●	●	●
	特殊色	●	●	●	●	●	●	●	●	●	●	●
紗窗	一般外置	●	●	●	●	●	●					
	專利內置							●	●	●	●	
	特殊一體成型折紗											●
拆卸方法	單內拆窗	●	●	●	●	●	●			●	●	
	全內拆窗							●	●			●
製造單位	大同協力廠	●	●	●	●	●	●	●	●	●	●	●
	一般通路 / 經銷商	●	●			●	●					
選配	連動把手			可	可	可	可	可	可	可	可	可
量產年份		1999/11	1999/11	2005/5	2005/5	2006/11	2006/11	2005/8	2005/8	2005/8	2005/8	2005/8



		TCW-847	TCW-147
銷售度		熱銷	
窗框寬度	8cm	●	
	10cm		●
氣密度	通氣量在 2/h m ³ 以下	●	●
水密度	脈動壓 50kgf/m ² 中央值以上	●	●
強度性	抗風壓 240kgf/m ² ~360kgf/m ²	●	●
隔音性	STC-30 等級	●	●
	STC-35 等級(附連動把手)	●	●
外觀	方直	●	●
適用性	民宅工程	●	●
	營建工程	●	●
配色	純白	●	●
	牙白	●	●
	香檳	●	●
	特殊色	●	●
紗窗	隱藏式紗窗、摺疊式紗窗	●	●
製造單位	大同協力廠	●	●
	一般通路 / 經銷商	●	●
選配	定位桿	可	可
量產年份		2006/6	2006/6



		TSW-1586	TSD-1095	TSD-1270
銷售度			民宅熱銷	建案熱銷
窗框寬度	10cm		●	●
	15cm	●		
氣密度	通氣量在 2/h m ³ 以下	●	●	●
水密度	脈動壓 50kgf/m ² 中央值以上	●	●	●
強度性	抗風壓 240kgf/m ² ~360kgf/m ²	●	●	●
隔音性	STC-30 等級	●	●	●
	STC-35 等級(附連動把手)		●	●
外觀	方直	●		●
	流線造型		●	
適用性	民宅工程	●	●	
	營建工程		●	●
配色	純白	●	●	●
	牙白	●	●	●
	香檳	●	●	●
	特殊色	●	●	●
紗窗	一般外置	●	●	●
製造單位	大同協力廠	●	●	●
	一般通路 / 經銷商	●	●	
選配	連動把手		可	可
量產年份		1999/11	2006/11	2005/5